

" clyzo " - Monograph Comparison 🧷



			R CURRENT USP 2022/EP11	/JP18	
	Product Name	Sorbitol EP,USP	20	Issue Date	July-23
	Product Code	140063	CG	Prepared by	Sr. Tech Lead
	CAS NO.	50-70-4	GROUP	Reviewed by	Manager Technical
	Manufacturer Name	CG Chemikalein GmbH & Co KG		Version no.	CLYZO/CG/140063/01
Sr. No.	Test	Manufacturer COA	Pharmacopeial Specifications		
51. NO.	Test	Complies USP, BP, Ph. Eur	USP 2022	EP Version 11.0	JP 18
1	Description	White or almost white crystalline powder	White granules, powder, or crystalline masses. It is odorless, and has a sweet taste with a cold sensation.It is hygroscopic	white or almost white, crystalline powder. It shows polymorphism	White, granules, powder, or crystalline masses It is odorless, and has a sweet taste with a cold sensation. It is hygroscopic.
2	Solubility	Not mentioned	Very soluble in water; sparingly soluble in alcohol; and practically insoluble in ethyl ether.	very soluble in water, practically insoluble in ethanol (96 %).	It is very soluble in water, sparingly soluble in ethanol (95), and practically insoluble in diethy ether.
3	Identification 1	Should comply the test	Should comply by deep pink or wine-red color appearance	In assay test, the principal peak in the chromatogram obtained with the test solution is similar in retention time and size to the principal peak in the chromatogram obtained with reference solution.	A blue-green color should develop, but no turbidity should be produced.
1	Identification 2	Should comply the test	In the assay test, the retention time of the major peak of the sample solution corresponds to that from the standard solution.	By TLC test, the principal spot in the chromatogram obtained with the test solution is similar in position, colour and size to the principal spot in the chromatogram obtained with reference solution (a).	Should comply by a reddish purple to red- purple color formation
5	Identification 3	Should comply the test	Not mentioned	The residue should melt in the range 98°C and 104°C	The residue should melt in the range 97°C and 101°C
5	Identification 4	Should comply the test	Not mentioned	Specific optical rotation should be between+ 4.00 and + 7.00 (anhydrous substance)	Not mentioned
7	Appearance of solution	Sample solution should be clear and colourless	Not mentioned	Sample solution should be clear and colourless	Sample solution should be clear and colourless
3	Conductivity	NMT 20 µS⋅cm ⁻¹	Not mentioned	NMT 20 μS·cm ⁻¹	Not mentioned
9	pH	Between 3.5 and 7.0	Between 3.5 and 7.0	Not mentioned	Not mentioned
10	Chloride	NMT 0.005%	NMT 0.005%	Not mentioned	NMT 0.005%
11	Sulfate	NMT 0.01%	NMT 0.01%	Not mentioned	NMT 0.006%
12	Nickel (Ni)	NMT 1 ppm	NMT 1 ppm	Not mentioned	No red color should develop.
13	Arsenic	Not mentioned	Not mentioned	Not mentioned	NMT 1.3 ppm
14	Glucose	Not mentioned	Not mentioned	Not mentioned	NMT 6.3 mL of 0.02 M KMnO4 is required.
15	Sugars	Not mentioned	Not mentioned	Not mentioned	NMT 6.3 mL of 0.02 M KMnO4 is required.
16	Loss on drying	Not mentioned	Not mentioned	Not mentioned	NMT 2.0%
17	Heavy metals	Not mentioned	Not mentioned	Not mentioned	NMT 5 ppm
18	Water	NMT 1.5%	NMT1.5%	NMT 1.5%	Not mentioned
19	Residue on ignition	NMT 0.1%	NMT 0.1%	Not mentioned	NMT 0.02%
20	Reducing sugars	NMT 0.2%	NMT 0.3%	NMT 0.2%	Not mentioned
21	Related substances	Maximum individual impurity: NMT 2.0% Total Impurity: NMT 3.0%	Not mentioned	Maximum individual impurity: NMT 2.0% Total Impurity: NMT 3.0%	Not mentioned
22	Microbial limit test Total aerobic microbial count Total yeast and molds count E.Coli Pseudomonas aerugonisa Staphylococcus aureus Salmonella	NMT 100 CFU/g NMT 50 cfu/g Absent/g Absent/g Absent/g Absent/g	TAMC - NMT 10 ³ CFU/g TYMC - NMT 10 ² CFU/g	TAMC - NMT 10 ³ CFU/g TYMC - NMT 10 ² CFU/g Escherichia coli - Absent Salmonella - Absent	Not mentioned
23	Bacterial Endotoxins	NMT 2.5 IU/g			
24	Assay (Anhydrous basis)	Between 97.0% - 100.5%	Between 91.0% - 100.5%	Between 97.0% and 102.0%	NLT 97.0%
	Storage	Not mentioned	Preserve in well-closed containers.	Not mentioned	Tight containers
	JUNASC	normentioned	rieserve in weil-diosed containers.	Not mentioned	ingine containers

Note - If you need any additional testing, you may use our Additional Testing Feature on the product page or contact your Clyzo representive.

Disclaimer - The information above is solely for your consideration. We do not recommend or affirm the suitability for any specific end use. We suggest the users should research & verify the specifications in accordance with their intended usage.